Fujitsu recommends Windows 8 Pro.



# Data Sheet Fujitsu STYLISTIC Q572 Tablet PC

# Your Professional BusinessPad

The Fujitsu STYLISTIC Q572 is the ideal lightweight 25.7 cm (10.1-inch) tablet PC for mobile professionals in business, government and SME. With pen and finger support, the slim 732 g device provides perfect flexibility to accomplish your daily tasks. Its swappable battery lets you deliver from start to finish and numerous interfaces as well as a docking option bring full convenience to your desk. 4G/LTE ensures ultimate connectivity anywhere and enterprise-class security features enhance data protection in sensitive environments.

#### User Experience

Intuitive user friendly interface to boost productivity

 Multiple touch input, superior ergonomics, screen auto-rotation and content reflow, integrated WLAN, Bluetooth and 3G/UMTS or 4G/LTE (incl. GPS)

#### **Content Creation and Collaboration**

Rapid content creation and painless collaboration

 Data entry via pen based handwriting recognition or onscreen keyboard with predictive text, antiqlare wide-angle display for indoor/outdoor use, swappable battery, HDMI

### Security and Manageability

Perfect data protection against unauthorized users

Advanced Theft Protection (Computrace®), SmartCard reader, Full Disk Encryption (FDE), fingerprint sensor, optional embedded TPM module







# Components

Operating systems	We I o
Operating system	Windows 8
0 11 11	Windows 8 Pro
Operating system compatible	Windows 8 Windows® 7
	WINGOWS® /
Base unit memory	STYLISTIC Q572 dual digitizer
Supported capacity RAM (max.)	4 GB
Memory slot type	DIMM (DDR3)
Memory notes	DDR3 - 1600 MHz
Hard disk drives (internal)	SSD mSATA, 256 GB
	SSD mSATA, 128 GB, Opal TCG
	SSD mSATA, 128 GB, FDE
	SSD mSATA, 64 GB, Opal TCG
	SSD mSATA, 64 GB, FDE
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.
	Accessible capacity may vary, also depending on used software.
	Up to 20 GB of HDD space is reserved for system recovery
	Internal HDD interface: S-ATA III (6GBit/s)
Wireless technologies	
Antennas	1x dual band for WLAN, 2x for UMTS/LTE, 1x for Bluetooth (on Bluetooth module)
Bluetooth	Bluetooth 4.0
Integrated WLAN	Ralink RT3572 a,b,q,n
WLAN notes	Import and usage according to country-specific regulations.
UMTS/GPS notes	Including GPS functionality
3G/4G (optional)	Sierra Wireless Gobi 3000 (Downlink speed 14.4 Mbit/s, Uplink speed 5.76 Mbit/s)
· V-F /	LTE Sierra Wireless MC7710 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)
Display	
Base unit	STYLISTIC Q572 dual digitizer
	STEISTIC & ST Z Good digitazer
General system information	MAD D. J.C. 7 CO ADM (4.0 CM.) 4 MD
Processor	AMD Dual-Core Z-60 APU (1.0 GHz), 1 MB,
Chipset	AMD A68M FCH
BIOS features	BIOS Flash EPROM
	BIOS based on Phoenix SecureCore
Display	
Display	25.7 cm (10.1-inch), IPS dual digitizer, (HD), Anti-glare touchscreen, 1366 x 768 pixel (recommended), 500:1, 400 $cd/m^2$
Display notes	Wide-view high-bright LED display (for enhanced outdoor viewing). With magnesium display lid. Integrated ambient light sensor for automatic backlight adjustment to the working environment.
Sensors	3-axis Accelerometer
	Ambient Light Sensor
	Gyroscope
	Compass
	Magnetic Field Sensor
Aspect ratio	16:9
Brightness - typical	400 cd/m <sup>2</sup>
Contrast - typical	500:1

Disele	
Display	
Digitizer	Dual Digitizer for pen input plus capacitive 10-finger multi-touch screen
Ambient light sensor	Integrated
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight
Graphics	
Base unit	STYLISTIC Q572 dual digitizer
TFT resolution (HDMI)	up to 1920 x 1200
Graphics brand name	AMD Radeon™ HD 6250
Graphics features	DirectX 11
Graphics notes	Shared memory depending on main memory size and operating system 3D accelerator
Interfaces	
Memory card slots	1 SD up to 2GB, SDHC up to 32GB, SDXC up to 64GB
SmartCard slot	1
SIM card slot	1 (only for models with integrated 3G/UMTS or 4G/LTE module)
USB 2.0 total	2
HDMI	1
DC-in	1
Audio: line-in / microphone	
Audio: line-out / headphone	1
Internal microphones	2 (digital)
Docking connector for Port Replicator	1
Wired communication	
Multimedia	
Audio type	On board
Audio codec	Realtek ALC269
Audio features	2x digital array microphones, 2x built-in speakers (stereo)
Camera	Built-in webcams, HD front camera plus 5.0 megapixel rear camera with autofocus and flash
Power supply	
Notes	60W AC Adapter for usage with system
1st battery	Lithium polymer battery 2-cell, 5.000 mAh, 36 Wh
Runtime 1st battery	~ 6 h
Battery charging time	252min (5.000mAh)
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime.
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	273.5 x 176 x 13.9 mm
Weight	0.732 kg
Operating ambient temperature	5 - 35 °C
Operating relative humidity	20 - 85 % (running)

Page 3 / 7 www.fujitsu.com/fts/tabletpc

Additional Software	
Additional software (preinstalled)	Adobe® Reader® (pdf reader)
	Microsoft® Touch Pack for Windows® 7
	Fujitsu LIFEBOOK Application Panel
	Fujitsu Auto Rotation Utility
	Fujitsu Display Manager
	Fujitsu Recovery (hard disk based recovery)
	Fujitsu Plugfree Network (network management utility)
	Power Saving Utility
	Fujitsu Security Panel Application
	ShockSensor Utility
	Fujitsu System Manager (Tablet Button Utility)
	Microsoft Office (buy license to activate the pre-installed Microsoft Office)
	McAfee Internet Security and Antivirus Software (60 days trial version)
Additional software (optional)	Drivers & Utilities DVD (DUDVD)
	UMTS connection manager (optional with UMTS)
	CyberLink YouCam (webcam software)
	Recovery DVD (Windows® 7)
	SmartCase Logon+ (only with Windows® 7)
Manageability	
Manageability technology	DeskUpdate Driver management
	PXE 2.1 Boot code
	Wake up from S5 (off mode)
	WoL (Wake on LAN)
Manageability software	DeskView Client
	DeskView Instant BIOS Management
	DeskView Integration for Symantec Management Platform
DeskView components	Inventory Management
	BIOS Management
	Driver Management
	Security Management
	Alarm Management
Supported standards	WMI
	PXE
	BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/manageability
Security	
Physical Security	-
System and BIOS Security	Norton Internet Security (incl. Firewall) 60 days version
	Write protect option for the Flash EPROM
	Control of all USB interfaces
	User and supervisor BIOS password
	Optional: Trusted platform module (TPM 1.2)
	Advanced Theft Protection (Computrace® only)
User Security	Integrated Fingerprint Sensor
	User and supervisor BIOS password
	Hard disk password
	OmniPass security software
	Smartcard reader (integrated)
Product	
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates
Cradle	
DC-in	1 (19V)
USB 2.0 total	3
Ethernet (RJ-45)	1 (10/100)
Edicinet (b) 43)	1 (10/100)

Page 4 / 7

Warranty	
Standard Warranty	2 years (depending on country)
Service level	Collect & Return Service / Bring-in Service (for countries within region FTS CEMEA&I, for all other countries depending on local regulations)
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
Maintenance and Support Services -	the perfect extension
Recommended Service	9x5, Response Time: Next Business Day
Service Weblink	http://www.fujitsu.com/fts/services/support



## Computer Bild Spiele

"Award Winner Touch Screens", Fujitsu STYLISTIC Q702, Germany - April 2013



# Notebookcheck.com

"Good (83%)", Fujitsu STYLISTIC Q572, Germany - April 10, 2013

# Recommended Accessories

#### Cradle STYLISTIC Q572



The Cradle STYLISTIC Q572 lets you dock your tablet PC for better ergonomics Order Code: at your desk and an instant connection to your favorite accessories as well \$26391-F1217-L500 as wired network access. It charges your battery while cradling your tablet at an optimal viewing angle for working in the office.

# **USB 3.0 Port Replicator PR08**



The Fujitsu USB 3.0 Port Replicator PR08 is the solution for notebooks without a dedicated docking connector or in hot-desk environments. You can connect to the local area network, and to all of your peripherals with a single USB 3.0 plug and boost your productivity by extending your workspace over up to four displays.

Order Code: S26391-F6007-L400

With an additional battery you can maximize the run-time of your tablet and work however long it takes to get the job done.

Order Code: S26391-F1216-L100

# Car/Truck Power Adapter 90



People who are often on business or private trips want to power up their handhelds, tablet PCs and notebooks anywhere and anytime. The Fujitsu Car/Truck Power Adapter 90 will charge your Tablet PC or notebook anywhere a 12 V or 24 V power supply is available.

Order Code: S26391-F2613-L610

# **Tablet Sleeve 11**



The Fujitsu Tablet Sleeve 11 is a thin tailored sleeve for your Fujitsu Tablet. It is the ideal match for tablets up to 29.5 cm (11.6-inch) and provides thin and light protection for your tablet when you are on the go. Enjoy sophisticated design with high quality PU leather and nylon accented by tasteful red highlights.

Order Code: S26391-F1191-L311

# **Bump Case STYLISTIC Q572**



The Bump Case STYLISTIC Q572 provides durable protection for vertical applications while providing you full access to your STYLISTIC Q572. It has a S26391-F119-L231 heavy-duty hand straps plus a detachable shoulder strap for a firm grip with comfort and security on the go. There is even a recessed pen sleeve and see through business card pocket.

Order Code:

Page 5 / 7 www.fujitsu.com/fts/tabletpc

# Kensington KeyFolio™



The Kensington KeyFolio™ Case for your 25.7 cm (10.1-inch) tablet protects Order Code: against scratches and features an integrated Bluetooth® keyboard. Touch typing and rapid content creation are now possible while on the go. It also folds to position your tablet at various comfortable angles for efficient working no matter where your job takes you.

TAV:K39532UK465

# **VGA Conversion Cable**



The Fujitsu VGA Conversion Cable enables you to view content from your HDMI capable device when the available projector or external display only has a VGA connector. This adapter is perfect for salespeople and others who often find themselves making presentations in a wide variety of environments.

Order Code: S26391-F938-L900

Page 6 / 7

# More information

#### **Fujitsu OPTIMIZATION Services**

In addition to Fujitsu STYLISTIC Q572, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

#### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

# **Computing Products**

www.fujitsu.com/global/services/computing/

#### Software

www.fujitsu.com/software/

## More information

Learn more about Fujitsu STYLISTIC Q572, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/tabletpc

### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment



# Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/

Copyright © Fujitsu Technology Solutions

# Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

### CONTACT

FUJITSU Technology Solutions Website: www.fujitsu.com/fts 2013-12-16 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

Copyright © Fujitsu Technology Solutions